## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

- (currently amended): A utility knife for glaziers and sheet rock workers, comprising
   a knife blade and a knife handle, said knife blade being transversely angulated with
   respect to said handle, and being firmly supported in horizontal and vertical planes:
  - a. a knife handle including a gripping portion and a blade supporting portion, said knife handle being unitarily formed; and
  - b. a knife blade being transversely angulated with respect to said gripping portion of said knife handle, and being firmly supported in horizontal and vertical planes.
- 2. (currently amended): A utility knife for glaziers and sheet rock users, comprising,
  - a. a reversible, detachable blade having a sharp edge and a plurality of anchoring holes;
  - b. <u>a handle means-for supporting the blade in a transversely angulated position, said</u>
     <u>handle including a gripping portion and a blade supporting portion;</u>
  - c. blade supporting means connected to said handle, said blade supportingsaid

    handle means having left and right side members, each of said left and right side

    members, respectively, being unitarily formed;
  - d. locating means disposed within <u>said blade supporting portion of</u> said handle for capturing said knife blade;

- e. channel means disposed within <u>said blade supporting portion of</u> said handle for containing and supporting said blade in a vertical plane;
- f. clamping means for clamping said left and right side members and supporting said knife blade in a horizontal plane; and
- g. blade replacement means for exposing a fresh edge of said blade, replacing said blade with a new blade, and rotating said blade by 180 degrees to change handedness of said utility knife.
- 3. (cancelled)
- 4. (currently amended): A utility knife as recited by claim 2 wherein the said transverse angluation angulation ranges from about 10 degrees to about 80 degrees.
- 5. (original): A utility knife as recited by claim 2 wherein said transverse angulation ranges from about 30 degrees to about 45 degrees.
- 6. (cancelled)
- 7. (original): A utility knife as recited in claim 2 wherein the said locating means is attached to said right side member.
- 8. (cancelled)
- 9. (original): A utility knife as recited by claim 2 wherein the said channel is milled to a width that loosely fits the edges of said knife blade.
- 10. (currently amended): A utility knife as recited by claim 2 wherein said clamping means comprises a plurality of bolts at least one bolt.
- 11. (currently amended): A utility knife as recited by claim 10, wherein said bolts areat least one bolt is threaded to the thickness of said left side member.

12. (currently amended): A utility knife as recited by claim 10, wherein said bolts areat least one bolt is slidably fitted to said right side member.